



THE FORMWORK

NOE[®]-Schaltechnik



NOE – Schaltechnik

Your concrete, our mission



NOE-Schaltechnik fulfils all concrete construction requirements with economic, innovative and tailor-made formwork systems.

We are your competent partner for reliable planning of the construction process, optimisation of logistics and the most efficient use of formwork and personnel. We are always available to advise our customers.

Only by working together can we find the best possible way of planning your project.






- Manufacturing formwork since 1957
- For hire or purchase
- Formwork and textured formliners from the same supplier



NOEtop4 – One-sided tie system with taper tie rod





- Tie rods installed from one side
- Short formwork erection times
- Fewer operational steps



NOEtop

The name says it all





- Integral bracing for versatility in use
- Perfect concrete surfaces – facing screwed on from the back
- Large elements for faster progress



NOEtop S Integrated workplace safety



- Integrated into NOEtop panels
- Ready for immediate use on site
- All-round protection against falling from height



NOEtop Alu Stand-alone manual formwork



- Compatible with NOEtop system
- Powder-coated
- Durable and robust yet low weight



NOEalu L

Systemised manual formwork





- Low weight and robust
- Integral cast corners with lever edges
- Flexibility of use




NOE R 110 and R 275 for radii from 1,100 mm



- Quick and easy to change radius
- Steel parts hot-dip zinc galvanised for durability
- Easy to use



NOEtop FS Tie rod-free columns



- Erected, stripped and moved in one piece
- Integrated workplace safety with platform and access
- Steel facing for excellent concrete surfaces



NOE H20 lifter
Safer and quicker lifting






- Easy installation of H20 beams for deck formwork
- Greater workplace safety on site
- Faster installation of deck formwork



NOEdeck Modular deck formwork



- Extra light for ergonomic handling
- Fewer parts – faster progress
- Super-strong drophead, up to 48 kN capacity



NOEtable

Ready for immediate site use



- Ready for immediate site use
- Quickly moved
- Easy to use – swivel the props into position



NOE support bracket Single sided flexibility



- Simple to extend
- Panel heights up to 10 m
- Quick assembly saves time



NOEprop – Efficient aluminium support system



- High load capacity up to 160 kN/prop
- Heights up to 15.20 m
- One frame size – several support width arrangements



NOEtec – All-rounder for engineering structures






- Flexible modular system – versatile in use
- Fewer parts – universal application
- Tailor-made for the requirements of your project



NOE – Die Struktur shapes concrete surfaces





- Efficiently planned, precisely executed
- Customised textures
- Wide range of standard textures





THE FORMWORK

NOE-Schaltechnik Georg Meyer-Keller GmbH + Co. KG

Kuntzestr. 72, 73079 Süssen

T + 49 7162 13-1

F + 49 7162 13-288

info@noe.de

www.noe.eu

Belgien

NOE-Bekistingtechnik N.V.

info@noe.be

www.noe.eu

Österreich

NOE-Schaltechnik

noe@noe-schaltechnik.at

www.noe.eu

Frankreich

NOE-France

info@noefrance.fr

www.noe.eu

Polen

NOE-PL Sp. Zo.o.

noe@noe.pl

www.noe.pl

Niederlande

NOE-Bekistingtechnik b.v.

info@noe.nl

www.noe.eu

Schweiz

NOE-Schaltechnik

info@noe.ch

www.noe.eu

Subject to technical changes
2022-10 / Teile-Nr. 995017